



Declaration on materials and the environment

Product	Type	EY-BU292 F001/F002
	Description	novaNet-Ethernet Interface
	Range	EY-modulo 2
Product usage	Typical energy consumption p.a.	35 / 61 kWh
	CE conformity	PDS 96.015
	Servicing, maintenance	PDS 96.015
	How the environment benefits	see last page
Risk to the environment in the event of damage	Fire protection as per	EN 60695-2-11, EN 60695-10-2
	Fire load ⁽¹⁾	3.7 / 3.9 MJ
	Parts containing halogen (causing corrosive smoke)	none
	Pollutive liquids	none
	Explosive substances	none
Packaging*	Cardboard PAP 20	57 / 88.5 g
	Paper PAP 22	10 g

⁽¹⁾ See **Remarks** on last page

*Directive 94/62/EC and follow-up document; decision 97/129/EC

Materials	Total weight of product ⁽²⁾	775/875 g	Safety data sheet	EU waste code**
Synthetics				
PC		1.6 g	Yes	20 01 39
PVC		0/3.2 g	Yes	20 01 39
POM		3.2/0 g	Yes	20 01 39
PA		0/0.3 g	Yes	20 01 39
Metal				
Steel, various alloys		610.7/703.4 g	not applicable	20 01 40
Brass, all alloys		2 g	not applicable	20 01 40
Printed circuit board				
Printed board assembly, equipped; lead-free solder		144.5 g	not applicable	20 01 36
Miscellaneous				
Wires are ready made up		3/9 g	not applicable	20 01 99
Special components				
Terminals of PA (model F001)		10 g	not applicable	20 01 99
Mains switch/housing-mounted plug (model F002)		11 g	not applicable	20 01 99

N.B.:

Silicone content: no parts contain any silicone

⁽²⁾ See **Remarks** on last page

**Directive 75/442/EEC and follow-up document; decision 2001/118/EC

Disposal**Product:**

For its disposal, the product should be treated as waste containing electrical and electronic equipment (electrical/electronic waste) and should not be disposed of as household waste. This applies in particular to the printed circuit board.

Fr. Sauter Ltd. observes the European directive 2002/95/EG (RoHS); the company's soldered products have been lead-free since 01.07.2006.

Special treatment of particular components may, under certain circumstances, be either compulsory by law or ecologically advisable.

Packaging:

Recyclable

Observe local regulations and the latest applicable laws.

Special notes:

none

Remarks**(1) Fire load, depending on type:**

EY-BU292 F001	3.7 MJ
EY-BU292 F002	3.9 MJ

(2) Weight, depending on type:

EY-AM300 F001	775 g
EY-AM300 F002	875 g

How the environment benefits

- Can be fully disassembled for specialist disposal of the materials
- Easy to disassemble
- Low energy consumption

Disclaimer: This declaration is solely for information purposes.

If circumstances arise, Sauter may change the above-mentioned specifications without prior notice.

Fr. Sauter Ltd. expressly rejects any liability for damage occurring due to the above information.

Further information on environmental aspects in general and on disposal in particular can be obtained from the local Sauter agent.